

## Han Multi module, female (D-Sub)



|                    |   |
|--------------------|---|
| Part number        | 09 14 004 4513  |
| Specification      | Han Multi module, female (D-Sub)  |
| HARTING eCatalogue | <a href="https://b2b.harting.com/09140044513">https://b2b.harting.com/09140044513</a> |

### Identification

|                |                   |
|----------------|-------------------|
| Category       | Modules           |
| Series         | Han-Modular®      |
| Type of module | Han® Multi module |

### Version

|                    |                                   |
|--------------------|-----------------------------------|
| Gender             | Female                            |
| Number of contacts | 4                                 |
| Details            | Please order contacts separately. |

### Technical characteristics

|                       |                   |
|-----------------------|-------------------|
| Rated current         | 1.5 A             |
| Rated voltage         | 50 V              |
| Insulation resistance | $>10^{10} \Omega$ |
| Limiting temperature  | -40 ... +125 °C   |
| Mating cycles         | $\geq 500$        |

### Material properties

|   |                        |
|---|------------------------|
| Material (insert)                         | Polycarbonate          |
| Colour (insert)                           | RAL 7032 (pebble grey) |
| Material flammability class acc. to UL 94 | V-0                    |
| RoHS                                      | compliant              |
| ELV status                                | compliant              |
| China RoHS                                | e                      |
| REACH Annex XVII substances               | No                     |



Pushing Performance

## Material properties

REACH ANNEX XIV substances No

REACH SVHC substances No

## Specifications and approvals

Specifications EN 60664-1  
IEC 61984

Approvals DNV GL

UL / CSA UL 1977 ECBT2.E235076

## Commercial data

Packaging size 2

Net weight 7.24 g

Country of origin Germany

European customs tariff number 85389099

eCl@ss 27440218 Module for industrial connectors (data)