

## Han D F crimp contact 1,0 mm<sup>2</sup> Au/HMC

nan Bir onnip oontaot i	,•			
			Part number	09 15 200 6222
			Specification	Han D F crimp contact 1,0 mm <sup>2</sup> Au/HMC
			HARTING eCatalogue	https://b2b.harting.com/09152006222
Identification				
Category	Contacts			
Series	Han D <sup>®</sup> HN	IC		
Type of contact	Crimp conta	act		
Version				
Gender	Female			
Technical characteristics				
Conductor cross-section	1 mm²			
Conductor cross-section	AWG 18			
Operating current	≤10 A			
Contact resistance	≤3 mΩ			
Stripping length	8 mm			
Mating cycles with other HMC components	≥10,000			
Material properties				
Material (contacts)	Copper allo	Copper alloy		
Surface (contacts)	HMC gold p	HMC gold plated		
RoHS	compliant with exemption			
RoHS exemptions	6(c): Coppe	6(c): Copper alloy containing up to 4 % lead by weight		
ELV status	compliant w	/ith	exemption	
China RoHS	50			
REACH Annex XVII substances	No			
REACH ANNEX XIV substances	No			

Page 1 / 2 | Creation date 2019-07-09 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Electric GmbH & Co. KG | Wilhelm-Harting-Straße 1 | 32339 Espelkamp | Germany Phone +49 5772 47-97100 | electric@HARTING.com | www.HARTING.com



Material properties		
REACH SVHC substances	Yes	
REACH SVHC substances	Lead	
Specifications and approvals		
Specifications and approvals		
Specifications	EN 60664-1	
	IEC 61984	
Commercial data		
Packaging size	100	
Net weight	0.63 g	
Country of origin	Germany	
European customs tariff number	85366990	
eCl@ss	27440204 Contact for industrial connectors	